



Chemical Distributors, Inc.
80 Metcalfe Street
Buffalo, NY 14206-2199
Phone: 716-856-2300 or 1-800-777-CHEM
Fax: 716-856-7115

695VS: RUST PROTECTOR

DESCRIPTION: 695VS is a unique blend of antioxidants and mild alkaline buffers designed to provide indoor rust protection by leaving a dry, non-oily, non-waxy clear film on ferrous components. 695VS may be applied by either conventional recirculating spray, or immersion. 695VS can also be used in wet plasma cutting tables and other static tanks to prevent corrosion. The ingredients in the 695VS prevent fouling and bacteria growth naturally without the need for biocide additions. 695VS leaves an invisible, water soluble film which provides indoor rust and corrosion protection for up to 90 days on ferrous components. 695VS is completely water soluble, making it easily rinsable if further painting or processing of the component is required. 695VS provides unequalled rust protection among aqueous, non oil systems, exceeding amine carboxylate, nitrite amine combinations, and some oil systems without the expense and hazards involved. 695VS is suitable for use in automatic chemical feeding equipment controlled either by conductivity or pH.

PRODUCT PROPERTIES:

Appearance: Clear heavy yellow liquid, odor nil.
Specific Gravity: 1.21
Solubility: Complete
Flash Point: None
pH(1%): 8.5
Phosphate Content: none

USE INFORMATION:

Concentration: 3-25% by volume.
Temperature: Ambient.
Contact Time: As required.

PRECAUTIONS: May cause irritation to the eyes upon contact. ****AVOID CONTACT****
Prolonged contact may cause skin irritation. When handling, wear proper personal protective equipment as indicated by the accompanying OSHA material safety data sheet. If accidental contact is made immediately flush contacted area repeatedly with cool water. If irritation persists call a physician for treatment. If accidental eye contact occurs flush eyes with cool water and seek the immediate attention of a physician. Launder contaminated clothing before reuse. Wash thoroughly after handling. **FOR INDUSTRIAL & COMMERCIAL USE ONLY!**

PACKAGE: 55, 30, 15, 5, 4x1gal.

SAFETY DATA SHEET

Product Name : 695VS

Date Issued : December 29, 2015

SECTION 1 : PRODUCT AND COMPANY IDENTIFICATION

Product Name: 695VS
Formula : Multi-component mixture

Chemical Synonym / C# : c695VS
Chemical Family: Detergent blend

Supplier : Chemical Distributors, Inc 80 Metcalf St. Buffalo, NY 14206

Information Telephone : (800)777-CHEM

Emergency Telephone : (607)529-3218

SECTION 2 : HAZARD IDENTIFICATION

Form : Liquid **Color :** Clear, colorless

Emergency Overview : Solutions are eye and skin irritants, and prolonged or repeated contact may cause irritation. Mists are irritating to the skin, mucous membranes, and upper respiratory tract. Read the entire SDS for a more thorough evaluation of the hazards.

OSHA Hazard Communication Standard : This product has been evaluated and classified as defined by OSHA Hazard Communication Standard, 29CFR 1910.1200.

GHS Classification :

Eye Irritation (Category 2B Mild Irritant)

Skin Irritation (Category 3 Mild Irritant)

Label Elements :

Signal Word : Warning

GHS Hazard Pictograms : N/A

Hazard Statements :

H303 May be harmful if swallowed

H316 Causes mild skin irritation

H320 Causes eye irritation

Precautionary Statements :

P262 Do not get in eyes, on skin, or on clothing.

P301 +330 + 331 + P312 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.. call a POISON CENTER or doctor/physician IF you feel unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P333 + P313 IF SKIN irritation or rash occurs: Get medical advice/attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 IF eye irritation persists: Get medical advice/attention.

Other hazards which do not result in classification :

None known. See Section 11 for Potential Health Hazards

SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	CAS #	% (w/w)
None considered hazardous	-	-

Unlisted components are considered non-hazardous as per 29CFR1910.1200g2C. See section 15 for specific state right-to-know information if applicable.

SAFETY DATA SHEET

Product Name : 695VS

Date Issued : December 29, 2015

SECTION 4 : FIRST AID MEASURES

Eye Contact: Immediately flush contacted area repeatedly with water for at least 15 minutes, holding eyelids open. Contact a physician for treatment.

Skin Contact: Immediately flush contacted area repeatedly with water for at least 15 minutes. If irritation persists, contact a physician for treatment. Clean contaminated clothing before reuse.

Inhalation: Inhalation is not an expected route of exposure. If respiratory irritation or distress occurs, remove victim to fresh air. If irritation persists, seek medical attention.

Ingestion: Never give anything by mouth to an unconscious person. If swallowed, do not induce vomiting. Give 1-2 glasses of water to drink, if conscious and alert.

Notes to physician : treat symptomatically. No specific antidote available. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

SECTION 5 : FIRE FIGHTING MEASURES

Extinguishing Media: None required.

Fire Fighting Procedures: Use caution when fighting any fire. Adequate respiratory protection is essential.

Unusual Fire and Explosion Hazards: None known.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

Personal precautions : Use suitable protective equipment (See Section 8 : "Exposure controls / personal protection").

Steps to be taken in case material is released or spilled:

Small Spill: Absorb with suitable absorbent such as sand or vermiculite.

Large Spill: Stop leak at source and contain spill with dike made of inert material such as sand or diatomaceous earth. Pump material to suitable container for possible reuse.

Solid spill: Sweep up and return to container.

SECTION 7 : HANDLING AND STORAGE

Handling: Avoid breathing vapors and mists. Avoid direct or prolonged contact with skin and eyes. In cold weather, liquids may stratify and freeze. This does not damage the product. If freezing occurs, thaw and remix before using. Frozen material may be thawed in a warm room. Avoid localized overheating. Vent drums while heating. Mix thoroughly to assure homogeneity. Handle with care. Wash thoroughly after handling.

Storage Requirements: Keep container closed. Store in an area that is dry and well-ventilated, away from incompatible materials (see section 10). For Industrial and commercial use only!

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous Ingredient	ACGIH TLV (mg/m ³) TWA	ACGIH TLV (mg/m ³) STEL
None considered hazardous	-	-

SAFETY DATA SHEET

Product Name : 695VS

Date Issued : December 29, 2015

Engineering measures :

Ventilation / Local Exhaust : General room ventilation.

Ventilation / Mechanical Recommendations: None required.

Personal protective equipment :

Respiratory Protection: Not required for properly ventilated areas.

Skin Protection: Vinyl or rubber protective gloves.

Eye Protection: Goggles or face shield.

Other Protective Equipment: Vinyl apron (optional).

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

Appearance / Odor: Clear, colorless liquid, odor nil.

Water Solubility: complete

pH (1%): 8.5

Specific Gravity: 1.21

Boiling Point (°F) : 212+

Evaporation Rate(water=1): N/A

% Volatile: N/A

Vapor Density(air=1) : N/A

Vapor Pressure(mmHg): N/A

Flash Point : None

Flash Point Method Used: N/A

Flammable Limits: LEL = N/A UEL = N/A

SECTION 10 : STABILITY AND REACTIVITY

Hazardous Decomposition Products: None.

Chemical Stability: Stable.

Conditions to Avoid: Avoid contact with hot solutions, splashing solutions, prolonged skin contact.

Incompatibility with other Substances: Acids, oxidizers

Hazardous Polymerization: Will not occur.

SECTION 11 : TOXICOLOGICAL INFORMATION

Potential Health Hazards (as mild alkaline or detergent blend) :

Inhalation: Inhalation of mists or dusts may cause irritation to respiratory tract. Symptoms from excessive inhalation or of concentrated product may include gasping or coughing and difficulty breathing. Excessive contact may cause damage to the nasal septum.

Skin Contact: May cause mild irritation. Concentrated or prolonged contact may cause irritation with redness and blistering.

Eye Contact: May cause mild irritation. Concentrated or prolonged contact may cause conjunctival edema and corneal destruction.

Ingestion: Swallowing may produce gastrointestinal upset. Symptoms from ingestion of large doses may include severe abdominal pain, vomiting, and diarrhea.

Toxicological Data: Toxicological studies were not performed on the blended product, although it is considered to be a severe eye irritant, and moderately irritating to the skin.

Carcinogenicity: This product does not contain any materials considered to be carcinogenous according to OSHA, NTP, IARC, or ACGIH.

SECTION 12 : ECOLOGICAL INFORMATION

Exotoxicological Information: No data found for the blended product.

SAFETY DATA SHEET

Product Name : 695VS

Date Issued : December 29, 2015

SECTION 13 : DISPOSAL CONSIDERATIONS

Waste Disposal Method: Recycle, recovery and reuse of materials, where permitted, is encouraged as an alternate to disposal as a waste. Hazardous waste classification under federal regulations (40 CFR Part 261 et seq) is dependent upon whether a material is a RCRA listed hazardous waste or has any of the four RCRA hazardous waste characteristics. Refer to 40 CFR Part 261.33 to determine if a given material to be disposed of is a RCRA listed hazardous waste. RCRA Hazardous Waste Characteristics: There are four characteristics defined in 40 CFR Section 261.21-61.24: *Ignitability, Corrosivity, Reactivity, and Toxicity*. To determine Ignitability, see Section 9 of this SDS (flash point). For Corrosivity, see Sections 9 and 14 (pH and DOT corrosivity). For Reactivity, see Section 10 (incompatible materials). For Toxicity, see Section 2 (composition). Federal regulations are subject to change. State and local requirements, which may differ from or be more stringent than the federal regulations, may also apply to the classification of the material if it is to be disposed.

Is the unused product a RCRA hazardous waste (40CFR261.33) if discarded? No

If yes, the RCRA ID number is : N/A

SECTION 14 : TRANSPORTATION INFORMATION

Transportation Emergency Telephone Number: 3E 24 hour number : (866)302-6855*

*Please refer to c# referenced in section 1 of this sds.

UN Number / DOT Proper Shipping Name / DOT Hazard Class /Packing Group / DOT Label & other information: NOT REGULATED BY DOT (mildly alkaline cleaning liquid NOIBN)

SECTION 15 : REGULATORY INFORMATION

US FEDERAL REGULATIONS :

TSCA (Toxic Substances Control Act) Status : TSCA (United States) The intentional ingredients of this product are listed.

CERCLA RQ - 40CFR302.4(a) : none listed

SARA 302 Components - 40 CFR 355 Appendix A : none

SARA 311/312 Classification - 40 CFR 370.2 : meets the following categories :
none known

SARA 313 Components - 40 CFR 372.65: This product does not contain any chemicals subject to reporting requirements.

INTERNATIONAL REGULATIONS :

Inventory Status : none known

STATE REGULATIONS :

STATE RIGHT-TO-KNOW : none known

SAFETY DATA SHEET

Product Name : 695VS

Date Issued : December 29, 2015

SECTION 16 : OTHER INFORMATION

NFPA Rating : HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0
NFPA hazard degree designation 704: 4 = extreme, 3 = high, 2 = moderate, 1 = slight, 0 = none.

Revision Date : 6/23/2015

Information and data compiled to compose this SDS is correct to the best of our knowledge as of the printed date, and is offered solely for your consideration, investigation, and verification.